

Product datasheet

Specifications



interface - for automatic controller -
ACP - 220..240 V

29363

Price: 7,806.02 ZAR

Main

Range Of Product	Compact NS630b...1600 MasterPact NW MasterPact NT Compact NS100...630 NSX100...250 NSX400...630
Range	ComPact
Product Or Component Type	Control plate
Accessory / Separate Part Category	Interlocking accessory
Range Compatibility	ComPact ComPact NS circuit breaker ComPact ComPact NSX circuit breaker Masterpact MasterPact NT circuit breaker Masterpact MasterPact NT switch disconnecter Masterpact MasterPact NW circuit breaker Masterpact MasterPact NW switch disconnecter
Device Short Name	ACP
[Us] Rated Supply Voltage	220...240 V AC at 50/60 Hz

Complementary

Interlocked Device	MasterPact NW MasterPact NT Compact NS100...630 Compact NS630b...1600 NSX400...630 NSX100...250
Selection Modes	Circuit breaker on R Circuit breaker on N
Input Type	Contacts customer voluntary order to transfer to source R
Output Type	Contacts customer: indication of operation in automatic or stop mode
Product Compatibility	Compact NSX100...250 Compact NSX400...630 Compact NS630b...1600

Environment

Ip Degree Of Protection	IP20 connectors: conforming to EN 60529 IP40 front: conforming to EN 60529 IP30 side: conforming to EN 60529
Ik Degree Of Protection	Front: IK07 conforming to EN 50102

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Height	12.4 cm
Package 1 Width	16.4 cm
Package 1 Length	27.5 cm
Package 1 Weight	2.552 kg
Unit Type Of Package 2	S04
Number Of Units In Package 2	6
Package 2 Height	30 cm
Package 2 Width	40 cm
Package 2 Length	60 cm
Package 2 Weight	16.078 kg
Unit Type Of Package 3	P12
Number Of Units In Package 3	24
Package 3 Height	50 cm
Package 3 Width	80 cm
Package 3 Length	120 cm
Package 3 Weight	76.408 kg

Contractual warranty

Warranty	18 months
----------	-----------

Sustainability

Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)

Well-being performance

 Mercury Free	
 Rohs Exemption Information	Yes
Reach Regulation	REACH Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins