

# Product datasheet

Specifications



## Terminal block - 125 A - 10 holes

14977

**Price: 118.43 ZAR**

### Main

Range	Prisma
Product Or Component Type	Terminal block

### Complementary

[In] Rated Current	125 A
[Ui] Rated Insulation Voltage	500 V
Number Of Terminal Blocks	1 (screw) with 10 outgoers
Distribution Block Outgoers	4 x 16 mm <sup>2</sup> 1 x 35 mm <sup>2</sup> 5 x 10 mm <sup>2</sup>
Range Compatibility	Prisma G Opale Pragma

### Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2 cm
Package 1 Width	3 cm
Package 1 Length	12 cm
Package 1 Weight	50 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	5
Package 2 Height	5.5 cm
Package 2 Width	11 cm
Package 2 Length	14.5 cm
Package 2 Weight	300 g
Unit Type Of Package 3	S04
Number Of Units In Package 3	250
Package 3 Height	30 cm
Package 3 Width	40 cm
Package 3 Length	60 cm
Package 3 Weight	15.766 kg

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

# Contractual warranty

---

Warranty

18 months

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



RoHS/REACH

## Well-being performance

Mercury Free

Rohs Exemption Information Yes

## Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

China Rohs Regulation [China RoHS declaration](#)  
Product out of China RoHS scope. Substance declaration for your information

Weee The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Circularity Profile No need of specific recycling operations