

# Product datasheet

Specifications



## Front rotary handle C60 / 120 and NC45 / 100 / 125 - black handle

27046

**Price: 1,100.81 ZAR**

### Main

|                                       |   |
|---------------------------------------|---|
| <b>Range Of Product</b>               | C60<br>DPN Vigi<br>ProDis<br>NC45...125<br>Clario<br>C120<br>I<br>Multi9<br>ISW 20...32<br>Librio |
| <b>Product Or Component Type</b>      | Rotary handle mechanism   |
| <b>Accessory / Separate Part Type</b> | Control accessories   |

### Complementary

|  |   |
|--|---|
| <b>Rotary Handle Mounting Location</b> | Front   |
| <b>Product Compatibility</b>           | C60<br>ISW<br>C60H-DC<br>C120NA-DC<br>DPN<br>C60CTRL<br>C60 UL489 DC<br>DPN Vigi<br>C60 UL489<br>C60 UL1077<br>C120 |

### Packing Units

|                                     |           |
|-------------------------------------|-----------|
| <b>Unit Type Of Package 1</b>       | PCE       |
| <b>Number Of Units In Package 1</b> | 1         |
| <b>Package 1 Height</b>             | 5.000 cm  |
| <b>Package 1 Width</b>              | 19.500 cm |
| <b>Package 1 Length</b>             | 22.000 cm |
| <b>Package 1 Weight</b>             | 225.000 g |
| <b>Unit Type Of Package 2</b>       | S03       |
| <b>Number Of Units In Package 2</b> | 20        |
| <b>Package 2 Height</b>             | 30.000 cm |
| <b>Package 2 Width</b>              | 30.000 cm |
| <b>Package 2 Length</b>             | 40.000 cm |
| <b>Package 2 Weight</b>             | 4.960 kg  |
| <b>Unit Type Of Package 3</b>       | P12       |

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

|                                     |            |
|-------------------------------------|------------|
| <b>Number Of Units In Package 3</b> | 160        |
| <b>Package 3 Height</b>             | 50.000 cm  |
| <b>Package 3 Width</b>              | 80.000 cm  |
| <b>Package 3 Length</b>             | 120.000 cm |
| <b>Package 3 Weight</b>             | 52.376 kg  |

## **Contractual warranty**

|                 |           |
|-----------------|-----------|
| <b>Warranty</b> | 18 months |
|-----------------|-----------|

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

## Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

**Reach Regulation** [REACH Declaration](#)

**Eu Rohs Directive** Compliant  
[EU RoHS Declaration](#)

**China Rohs Regulation** [China RoHS declaration](#)  
Pro-active China RoHS declaration (out of China RoHS legal scope)

**Weee** The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

**Circularity Profile** No need of specific recycling operations