

Product datasheet

Specifications



low level carriage switch. drawout circuit breaker. chassis position CE/CT/CD. spare part

33171

Price: 1,310.20 ZAR

Main

| | |
|-----------------------------|--|
| Device Short Name | carriage switch |
| Product Or Component Type | Auxiliary contact |
| Device Application | Monitoring |
| Range Compatibility | Masterpact MasterPact NT Masterpact MasterPact NW Masterpact MasterPact NW DC ComPact ComPact NS630b...1600 |
| Signal Contacts Composition | 1 NO/NC |

Complementary

| | |
|------------------------------------|---|
| Auxiliary Contacts Type | Low level |
| Auxiliary Contacts Operation | Connected position Disconnected position Test position |
| Mounting Mode | Drawout |
| [Ie] Rated Operational Current | DC-12: 0.3 A at 250 V DC DC-12: 0.8 A at 125 V DC DC-12: 2.5 A at 24/48 V DC AC-12: 5 A at 24/48 V AC 50/60 Hz AC-12: 5 A at 240 V AC 50/60 Hz AC-12: 5 A at 380 V AC 50/60 Hz |
| Minimum Load | 2 mA at 15 V |
| Accessory / Separate Part Category | Spare part for MasterPact NT Spare part for MasterPact NW Spare part for MasterPact NW DC Spare part for ComPact NS630b...1600 |

Packing Units

| | |
|------------------------------|---------|
| Unit Type Of Package 1 | PCE |
| Number Of Units In Package 1 | 1 |
| Package 1 Height | 0.9 cm |
| Package 1 Width | 4.7 cm |
| Package 1 Length | 5.0 cm |
| Package 1 Weight | 18.0 g |
| Unit Type Of Package 2 | BB1 |
| Number Of Units In Package 2 | 20 |
| Package 2 Height | 6.0 cm |
| Package 2 Width | 12.0 cm |

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

| | |
|------------------------------|---------|
| Package 2 Length | 17.7 cm |
| Package 2 Weight | 400.0 g |
| Unit Type Of Package 3 | S03 |
| Number Of Units In Package 3 | 400 |
| Package 3 Height | 30.0 cm |
| Package 3 Width | 30.0 cm |
| Package 3 Length | 40.0 cm |
| Package 3 Weight | 7.5 kg |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Pro-active compliance (Product out of EU RoHS legal scope)
[EU RoHS Declaration](#)

China Rohs Regulation [China RoHS declaration](#)
Pro-active China RoHS declaration (out of China RoHS legal scope)
