Product datasheet

Specifications





Iconic. movement detector. PIR. 3 wire. 240 V

40EPIR

Price: 1,097.80 ZAR

Main

Range Of Product	Iconic	
Product Or Component Type	Type Movement detector	
Function Of Module	Motion detection	
Device Application	Lighting Power circuit application	
Sensor Type	PIR	

Complementary

Provided Equipment	Carrier (plastic) Finishing accessory	
[Ue] Rated Operational Voltage	ltage 220/240 V AC 50 Hz 25 °C	
Power Consumption In W	1 W at 240 V AC 50 Hz	
Maximum Load Current	3 A for per output	
Rated Power In W	100 W LED lighting 750 W incandescent 100 W fluorescent 400 W LV halogen 100 W motor	
Protection Type	Input surge protection for sensor	
Electrical Insulation Class	Insulation Class Double insulation	
Type Of Setting	Time adjustment: 20900 s	
ght Intensity Adjustment 102000 lux		
Movement Detection Area	2 m	
Detection Angle	100° horizontal 82° vertical	
Material	Plastic	
Device Mounting	Wall mounted	
Mounting Height 1.2 m		
Type Of Installation	Installation Indoor installation	
Width	23 mm	
Height	45 mm	
Depth	23 mm	
et Weight 0.042 kg		

Environment

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

Ip Degree Of Protection	IP20 (modular enclosure) conforming to IEC 60529
Ambient Air Temperature For Operation	-1050 °C
Ambient Air Temperature For Storage	-2060 °C
Relative Humidity	590 % non-condensing

Packing Units

PCE
1
3.5 cm
2.3 cm
2.3 cm
82 g
BB1
6
16.7 cm
10.5 cm
13 cm
566 g
CAR
48
23 cm
26.7 cm
34.1 cm
4.912 kg



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc	
Ø	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information