

Product datasheet

Specifications



30MM LEGEND PLATE - BLANK 30MM

9001KN200

Price: 89.06 ZAR

Main

Range Of Product	Harmony 9001K Harmony 9001SK
Product Or Component Type	Blank legend
Accessory / Separate Part Type	Legend plate
Accessory / Separate Part Categor	Marking accessory
Accessory / Separate Part Destination	Control and signalling units Ø 30 mm (metal range)
Label Dimensions	40 x 43 mm
Marking	unmarked on black background

Complementary

Mounting Diamete	30 mm
Material	Aluminium
Net Weight	0.005 kg
Size	30 mm
Colour Of Marking	Silver
Background Colour	Black

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	0.200 cm
Package 1 Width	5.000 cm
Package 1 Length	8.000 cm
Package 1 Weight	4.000 g
Unit Type Of Package 2	S01
Number Of Units In Package 2	100
Package 2 Height	15.000 cm
Package 2 Width	15.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	595.000 g

Contractual warranty

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Warranty

18 months

Sustainability

Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)


[Guide to assess a product’s sustainability >](#)

Well-being performance

 Mercury Free	
 Rohs Exemption Information	Yes
Reach Regulation	REACH Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration

Dimensions Drawings

Dimensions



a		b	
mm	in.	mm	in.
41.3	1.62	24.6	0.97