

Product datasheet

Specifications



iMDU 24-48V AC or DC voltage adaption module

A9C18195

Price: 2,708.51 ZAR

Main

Range Of Product	Acti9
Product Or Component Type	Voltage adaptor
Device Short Name	iMDU

Complementary

Range Compatibility	Acti 9 Acti9 RCA Acti 9 Acti9 Reflex iC60
[Ui] Rated Insulation Voltage	500 V
[Uimp] Rated Impulse Withstand Voltage	6 kV
[Uc] Control Circuit Voltage	24...48 V AC/DC
Mounting Mode	Fixed
Mounting Support	35 mm symmetrical DIN rail
9 Mm Pitches	1
Height	78 mm
Width	9 mm
Depth	74 mm
Net Weight	53 g
Colour	White
Auxiliary Connection Terminal	Tunnel type terminalsrigid 1.5 mm ² Tunnel type terminalsflexible 1.5 mm ² Tunnel type terminalsflexible with ferrule 1.5 mm ²
Wire Stripping Length	6 mm
Tightening Torque	1 N.m
Compatibility Code	iMDU

Environment

Ip Degree Of Protection	IP20 conforming to IEC 60529 IP40 in modular enclosure (Insulation class II) conforming to IEC 60529
Tropicalisation	2
Relative Humidity	95 % at 55 °C
Ambient Air Temperature For Operation	-20...60 °C
Ambient Air Temperature For Storage	-40...80 °C

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.0 cm
Package 1 Width	7.9 cm
Package 1 Length	9.2 cm
Package 1 Weight	47.0 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	12
Package 2 Height	8.5 cm
Package 2 Width	10.0 cm
Package 2 Length	26.5 cm
Package 2 Weight	627.0 g
Unit Type Of Package 3	S03
Number Of Units In Package 3	48
Package 3 Height	30.0 cm
Package 3 Width	30.0 cm
Package 3 Length	40.0 cm
Package 3 Weight	2.932 kg

Contractual warranty

Warranty	18 months
----------	-----------

Sustainability


Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Well-being performance

 Mercury Free

 Rohs Exemption Information [Yes](#)

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

China Rohs Regulation [China RoHS declaration](#)
Product out of China RoHS scope. Substance declaration for your information

Weee The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins