

Product datasheet

Specifications



MN undervoltage release, GoPact MCCB 400/800, 110VAC 50/60Hz

G40-80UVR110AC

Main

Range Of Product	GoPact MCCB
Product Or Component Type	Voltage release
Device Short Name	MN
Device Application	Control
Range Compatibility	GoPact MCCB 400 GoPact MCCB 800 EasyPact Solar MCCB 400 EasyPact Solar MCCB 800
Voltage Release Type	Undervoltage release
[Uc] Control Circuit Voltage	110 V AC 50/60 Hz

Complementary

Threshold Tripping Voltage	0.35...0.7 Un opening 0.85...1.1 Un closing
Max Supply Holding Power Consumption	3.5 VA
Max Supply Pick-Up Power Consumption	5 VA
Response Time	25 ms

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	6.5 cm
Package 1 Width	8.5 cm
Package 1 Length	4.8 cm
Package 1 Weight	110 g
Unit Type Of Package 2	S02
Number Of Units In Package 2	20
Package 2 Height	15 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	2.515 kg
Unit Type Of Package 3	P06
Number Of Units In Package 3	320

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 3 Height	60 cm
Package 3 Width	60 cm
Package 3 Length	80 cm
Package 3 Weight	48.740 kg

Sustainability

Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency RoHS/REACH

Well-being performance

✓	Mercury Free	
✓	Rohs Exemption Information	Yes
✓	Pvc Free	

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information