


Product datasheet

Specifications



Auxiliary contacts. TeSys GS. 2NC + 2NO. instantaneous. left side mounting. for GS2 with front handle test position

GS1ANT2

⚠ Discontinued on: 13 Mar 2024

⚠ Discontinued

Price: 2,386.53 ZAR

Main

Range Of Product	TeSys
Device Short Name	GS1AN
Product Or Component Type	Auxiliary contact
Contact Application	O, I and test position signalling
Contacts Type And Composition	2 NO + 2 NC
Contact Operation	Instantaneous
[Ith] Conventional Free Air Thermal Current	20 A (at 40 °C)
[Ie] Rated Operational Current	1 A at 220 V DC-13 10 A at 230 V AC-15 12 A at 127 V AC-15 4 A at 48 V DC-13 6 A at 440 V AC-15 8 A at 400/415 V AC-15 1.2 A at 110 V DC-13

Complementary

Range Compatibility	TeSys TeSys GS fuse-switch disconnecter
Mechanical Durability	30000 cycles
Electrical Durability	30000 cycles AC-15
Switch Rated Current	50 A 63 A 125 A 315 A 100 A 250 A 60 A 200 A 160 A 400 A
Fuse Type	DIN BS NFC
Type Of Operating Handle	External frontal
Net Weight	0.258 kg

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

Package 1 Height	3.5 cm
Package 1 Width	7.0 cm
Package 1 Length	13.0 cm
Package 1 Weight	258.0 g
Unit Type Of Package 2	S01
Number Of Units In Package 2	12
Package 2 Height	15.0 cm
Package 2 Width	15.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	3.329 kg

Contractual warranty

Warranty	18 months
----------	-----------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant
[EU RoHS Declaration](#)

China Rohs Regulation [China RoHS declaration](#)

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)
