

# Product datasheet

Specifications



External rotary handle. TeSys GS.  
black handle. front mounting. 2  
positions I-O. IP55. for GS  
100-400A IEC

GS2AH535

**Price: 612.07 ZAR**

## Main

Range Of Product	TeSys
Range	TeSys
Device Short Name	GS2AH
Product Or Component Type	Rotary handle
Range Compatibility	TeSys TeSys GS GS2J TeSys TeSys GS GS2K TeSys TeSys GS GS2L TeSys TeSys GS GS2N TeSys TeSys GS GS2P TeSys TeSys GS GS2Q
Type Of Operating Handle	External frontal
Handle Colour	Black
Handle Front Plate Colour	Grey

## Complementary

Handle Positions	O-I
Rotary Handle Padlocking	With
Switch Rated Current	100 A 125 A 160 A 200 A 250 A 315 A 400 A
Standards	IEC
Net Weight	0.24 kg

## Environment

Ip Degree Of Protection	IP55
-------------------------	------

## Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.0 cm
Package 1 Width	13.0 cm
Package 1 Length	17.0 cm
Package 1 Weight	230.0 g

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

<b>Unit Type Of Package 2</b>	S02
<b>Number Of Units In Package 2</b>	20
<b>Package 2 Height</b>	15.0 cm
<b>Package 2 Width</b>	30.0 cm
<b>Package 2 Length</b>	40.0 cm
<b>Package 2 Weight</b>	4.922 kg

## **Contractual warranty**

<b>Warranty</b>	18 months
-----------------	-----------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

## Well-being performance

✓ Reach Free Of Svhc

---

✓ Toxic Heavy Metal Free

---

✓ Mercury Free

---

✓ Rohs Exemption Information [Yes](#)

---

**Reach Regulation** [REACH Declaration](#)

---

**Eu Rohs Directive** Compliant  
[EU RoHS Declaration](#)

---

**China Rohs Regulation** [China RoHS declaration](#)

---