

Product datasheet

Specifications



OptiLine 45 - installation trunking - 95x55 mm - PVC - polar white - 2000 mm

ISM10200P

Price: 345.87 ZAR

Main

Range Of Product	OptiLine 45
Cabling Installation System	Trunking
Product Or Component Type	Installation trunking
Colour Tint	Polar white (RAL 9003)
Quantity Per Set	12 m

Complementary

Trunking Material	Plastic
Trunking Dimension	95 x 55 mm
Compartment Partitioning	1 compartment
Mounting Location	Internal
Fixing Mode	By screws
Front Opening Size	45 mm
Material	PVC (polyvinyl chloride)
Length	2000 mm
Height	95 mm
Width	55 mm

Environment

Standards	73/23/EEC 93/68/EEC EN 50085-1:2005 EN 50085-2-1:2002 NF C 68-102
Ambient Air Temperature For Operation	-25...60 °C
Ip Degree Of Protection	IP40
Ik Degree Of Protection	IK07

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	2
Package 1 Height	5.5 cm
Package 1 Width	9.5 cm
Package 1 Length	200.0 cm

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

Package 1 Weight	2.01 kg
Unit Type Of Package 2	BB1
Number Of Units In Package 2	12
Package 2 Height	12.5 cm
Package 2 Width	28.5 cm
Package 2 Length	204.0 cm
Package 2 Weight	12.31 kg
Unit Type Of Package 3	PAL
Number Of Units In Package 3	192
Package 3 Height	64.0 cm
Package 3 Width	120.0 cm
Package 3 Length	210.0 cm
Package 3 Weight	217.0 kg

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Pro-active compliance (Product out of EU RoHS legal scope)
[EU RoHS Declaration](#)

China Rohs Regulation [China RoHS declaration](#)
Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile No need of specific recycling operations
