Product datasheet

Specifications

Green Premium™

OptiLine 45 - stop end - 140 x 55 mm - PC/ABS - polar white

ISM10304P

Price: 49.41 ZAR

Main

Range Of Product	OptiLine 45
Cabling Installation System	Trunking
Product Type	Stop end
Colour	Polar white (RAL 9003)
Quantity Package 1 / Unit	Set of 2

Complementary

Trunking Material	Plastic
Trunking Dimension	140 x 55 mm
Fixing Mode	Snap-fitted Screw
Product Material	PC/ABS
Length	21 mm
Height	144 mm
Width	56 mm

Environment

Standards	73/23/EEC 93/68/EEC EN 50085-1:2005 EN 50085-1:2013/A1 EN 50085-2-1:2006 EN 50085-2-1:2011/A1
Operating Temperature	-25…60 °C
Ip Degree Of Protection	IP40
Ik Degree Of Protection	IK07

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.5 cm
Package 1 Width	5.7 cm
Package 1 Length	15 cm
Package 1 Weight	34 g
Unit Type Of Package 2	BAG

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Number Of Units In Package 2	2
Package 2 Height	2.5 cm
Package 2 Width	5.7 cm
Package 2 Length	15 cm
Package 2 Weight	71 g
Unit Type Of Package 3	S03
Number Of Units In Package 3	150
Package 3 Height	30 cm
Package 3 Width	30 cm
Package 3 Length	40 cm
Package 3 Weight	5.877 kg

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc	
Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations