

# Product datasheet

Specifications



communicating motor mechanism module MTc 100/160. ComPact NSX100/160. 220/240 VAC 50/60 Hz

LV429441

**Price: 14,602.43 ZAR**

## Main

Device Short Name	MT250
Product Or Component Type	Motor mechanism
Device Application	Automatic spring charging
Range Compatibility	ComPacT new generation ComPacT NSX100 new generation ComPacT new generation ComPacT NSX160 new generation ComPacT ComPacT NSX DC new generation NSX100 DC ComPacT ComPacT NSX DC new generation NSX160 DC
Control Type	Communicating
[Uc] Control Circuit Voltage	220...240 V AC 50/60 Hz
Circuit Breaker Mounting Mode	Fixed
Circuit Breaker Frame Rated Current	100 A 160 A

## Complementary

Control Signal Type	Impulse Maintained
Circuit Breaker Response Time	< 700 ms open < 80 ms closed
Maximum Operating Frequency	4 per minute
Maximum Power Consumption In Va	500 VA closing 500 VA opening
Provided Equipment	SDE adaptor
Locking Options Description	1 to 3 padlocks Ø 5 to Ø 8 Padlocking in OFF position

## Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	12.0 cm
Package 1 Width	10.5 cm
Package 1 Length	17.2 cm
Package 1 Weight	1.392 kg
Unit Type Of Package 2	S04
Number Of Units In Package 2	15
Package 2 Height	30.0 cm

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

---

Package 2 Width	40.0 cm
Package 2 Length	60.0 cm
Package 2 Weight	21.646 kg

---

## Contractual warranty

---

Warranty	18 months
----------	-----------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

## Well-being performance

Mercury Free

Rohs Exemption Information Yes

## Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

China Rohs Regulation [China RoHS declaration](#)  
Product out of China RoHS scope. Substance declaration for your information

Environmental Disclosure [Product Environmental Profile](#)

Weee The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Circularity Profile [End of Life Information](#)