

Product datasheet

Specifications

TeSys F - contactor coil - LX1FH - 110...115 V AC 40...400 Hz



LX1FH1102

⚠ To be discontinued on: 31 Dec 2028

⚠ To be discontinued

Price: 3,148.51 ZAR

Main

Range	TeSys
Product Or Component Type	Contactor coil
Device Short Name	LX1FH
Range Compatibility	TeSys TeSys F LC1F contactor
Product Compatibility	LC1F330 LC1F265
Control Circuit Type	AC at 40...400 Hz
[Uc] Control Circuit Voltage	110...115 V AC 40...400 Hz
Average Resistance	18.7 Ohm inrush at 20 °C 440 Ohm holding at 20 °C
Operating Time	100...170 ms opening 40...65 ms closing
Mechanical Durability	10 Mcycles
Maximum Operating Rate	2400 cyc/h 55 °C

Complementary

Coil Technology	Without built-in suppressor module
Control Circuit Voltage Limits	Drop-out: 0.35...0.55 Uc 40...400 Hz (at 55 °C) Operational: 0.85...1.1 Uc 40...400 Hz (at 55 °C)
Inrush Power In Va	650 VA 40...400 Hz cos phi 0.9 (at 20 °C)
Hold-In Power Consumption In Va	10 VA 40...400 Hz cos phi 0.3 (at 20 °C)
Heat Dissipation	8 W at 40...400 Hz

Environment

Ambient Air Temperature For Operation	-5...55 °C
Net Weight	0.75 kg

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	8.200 cm
Package 1 Width	11.000 cm
Package 1 Length	19.400 cm

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

Package 1 Weight	865.000 g
Unit Type Of Package 2	S03
Number Of Units In Package 2	12
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	10.818 kg
Unit Type Of Package 3	P06
Number Of Units In Package 3	96
Package 3 Height	75.000 cm
Package 3 Width	60.000 cm
Package 3 Length	80.000 cm
Package 3 Weight	97.436 kg

Contractual warranty

Warranty	18 months
-----------------	-----------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Pro-active compliance (Product out of EU RoHS legal scope)
[EU RoHS Declaration](#)

China Rohs Regulation [China RoHS declaration](#)
