


Product datasheet

Specifications



MVS XF 100/130V AC/DC

MVS15511

Price: 1,762.26 ZAR

Main

Range Of Product	EasyPact MVS
Range	EasyPact
Device Short Name	XF
Product Or Component Type	Closing coil
Device Application	Control
Range Compatibility	EasyPact EasyPact MVS circuit breaker
Voltage Release Type	Closing coil

Complementary

Control Type	Electrically operated
Control Signal Type	Maintained
[Uc] Control Circuit Voltage	110/130 V AC/DC 50/60 Hz
Threshold Tripping Voltage	Remote control: 0.85...1.1 Un closing
Supply Holding Power	4.5 W 4.5 VA
Supply Inrush Power	200 VA 200 ms 200 W 200 ms
Response Time	70 ms at 800 A (EasyPact MVS) 70 ms at 100 A (EasyPact MVS) 70 ms at 1250 A (EasyPact MVS) 70 ms at 1600 A (EasyPact MVS) 70 ms at 2000 A (EasyPact MVS) 70 ms at 2500 A (EasyPact MVS) 70 ms at 3200 A (EasyPact MVS) 70 ms at 4000 A (EasyPact MVS)

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.5 cm
Package 1 Width	6.0 cm
Package 1 Length	8.5 cm
Package 1 Weight	149.0 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	9.0 cm

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

Package 2 Width	13.0 cm
Package 2 Length	19.0 cm
Package 2 Weight	1.556 kg
Unit Type Of Package 3	S03
Number Of Units In Package 3	30
Package 3 Height	30.0 cm
Package 3 Width	30.0 cm
Package 3 Length	40.0 cm
Package 3 Weight	5.155 kg

Contractual warranty

Warranty	18 months
----------	-----------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

Mercury Free

RoHS Exemption Information Yes

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu RoHS Directive Compliant with Exemptions

China RoHS Regulation [China RoHS declaration](#)
Product out of China RoHS scope. Substance declaration for your information

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)