

Product datasheet

Specifications



ClimaSys forced vent. roof.
575m3/h. 230V. with roof outlet grille and filter G2. grey (RAL 7035)

NSYCVF575M230MF

Price: 9,935.21 ZAR

Main

Range	ClimaSys
Product Name	ClimaSys CV
Product Or Component Type	Top hood with fan
Range Compatibility	Prisma Prisma P Prisma Prisma PH Prisma Prisma iPM M Acti 9 enclosure
Type Of Filter	G2
Flow Rate	With outlet grille cut-out 291 x 291 mm: 350 m3/h Free flow rate: 575 m3/h at 50 Hz
Input Voltage	230 V 50/60 Hz

Complementary

Absorbed Power	85 W
Noise Level < At	64 dB
Height	External: 96 mm
Width	External: 340 mm
Depth	External : 340 mm
Cut-Out Dimensions	228 x 228 mm
Material	Hood: steel
Colour	Hood: grey (RAL 7035)
Ip Degree Of Protection	IP54
Device Composition	1 hood: top of enclosure 1 fan 1 fixing elements

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	12.0 cm
Package 1 Width	35.0 cm
Package 1 Length	35.0 cm
Package 1 Weight	6.066 kg
Unit Type Of Package 2	PAL

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Number Of Units In Package 2	60
Package 2 Height	103.0 cm
Package 2 Width	105.0 cm
Package 2 Length	120.0 cm
Package 2 Weight	377.0 kg

Contractual warranty

Warranty	18 months
----------	-----------

Sustainability

Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency RoHS/REACH

Well-being performance

 Mercury Free

 RoHS Exemption Information [Yes](#)

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information