

# Product datasheet

Specifications



Harmony. Socket. for RE48 relays.  
screw terminals connections on  
rear face. 11 pins. IP 20

RE48ASOC11AR

Price: 969.06 ZAR

## Main

|                                       |                                                          |
|---------------------------------------|----------------------------------------------------------|
| Range Of Product                      | Harmony Timer Relays                                     |
| Product Or Component Type             | Socket                                                   |
| Product Compatibility                 | RE48ACV12MW<br>RE48AML12MW                               |
| Accessory / Separate Part Destination | Timing relay                                             |
| Accessory / Separate Part Designation | IP20 socket with screw terminal connections on rear face |
| Pin Number                            | 11 pins                                                  |
| Accessory / Separate Part Category    | Connection accessories                                   |
| Contacts Type And Composition         | 2 C/O                                                    |

## Environment

|                         |      |
|-------------------------|------|
| Ip Degree Of Protection | IP20 |
|-------------------------|------|

## Packing Units

|                              |          |
|------------------------------|----------|
| Unit Type Of Package 1       | PCE      |
| Number Of Units In Package 1 | 1        |
| Package 1 Height             | 2.2 cm   |
| Package 1 Width              | 5.5 cm   |
| Package 1 Length             | 5.0 cm   |
| Package 1 Weight             | 48.0 g   |
| Unit Type Of Package 2       | S01      |
| Number Of Units In Package 2 | 50       |
| Package 2 Height             | 15.0 cm  |
| Package 2 Width              | 15.0 cm  |
| Package 2 Length             | 40.0 cm  |
| Package 2 Weight             | 2.599 kg |

## Contractual warranty

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Sustainability



**Green Premium™ label** is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency   RoHS/REACH

Well-being performance

 Mercury Free

 RoHS Exemption Information   [Yes](#)

Certifications & Standards

|                          |                                                                                                                             |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| Reach Regulation         | <a href="#">REACH Declaration</a>                                                                                           |
| Eu Rohs Directive        | Pro-active compliance (Product out of EU RoHS legal scope)                                                                  |
| China Rohs Regulation    | <a href="#">China RoHS declaration</a>                                                                                      |
| Environmental Disclosure | <a href="#">Product Environmental Profile</a>                                                                               |
| Weee                     | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |
| Circularity Profile      | <a href="#">End of Life Information</a>                                                                                     |

Dimensions Drawings

Socket

---

11-Pin Socket

