

# Product datasheet

Specifications



## 16 A X/20 A 250 v 2 gang full - flat switch with ON indicator.White

S84321\_WE

Discontinued on: 14 Apr 2023

Price: 157.41 ZAR

Discontinued

### Main

|                           |         |
|---------------------------|---------|
| Range                     | ZENcelo |
| Product Or Component Type | Switch  |
| Device Application        | Control |

### Complementary

|                  |                                    |
|------------------|------------------------------------|
| Device Mounting  | Surface<br>Flush                   |
| Switch Function  | 1-way                              |
| Rated Current    | 20 A/16 AX at 250 V AC 50 Hz       |
| Local Signalling | Mechanical indicator, neon (amber) |
| Number Of Gangs  | 2 gangs                            |
| Width            | 50 mm                              |
| Height           | 100 mm                             |

### Packing Units

|                              |           |
|------------------------------|-----------|
| Unit Type Of Package 1       | PCE       |
| Number Of Units In Package 1 | 1         |
| Package 1 Height             | 3.5 cm    |
| Package 1 Width              | 8 cm      |
| Package 1 Length             | 12.6 cm   |
| Package 1 Weight             | 175.02 g  |
| Unit Type Of Package 2       | CAR       |
| Number Of Units In Package 2 | 50        |
| Package 2 Height             | 16 cm     |
| Package 2 Width              | 37.5 cm   |
| Package 2 Length             | 79 cm     |
| Package 2 Weight             | 8925.55 g |
| Unit Type Of Package 3       | PAL       |
| Number Of Units In Package 3 | 600       |
| Package 3 Height             | 100 cm    |
| Package 3 Width              | 80 cm     |

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                  |          |
|------------------|----------|
| Package 3 Length | 120 cm   |
| Package 3 Weight | 105012 g |

Sustainability



**Green Premium™ label** is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency   RoHS/REACH

## Well-being performance

|   |                            |     |
|---|----------------------------|-----|
| ✓ | Reach Free Of Svhc         |     |
| ✓ | Toxic Heavy Metal Free     |     |
| ✓ | Mercury Free               |     |
| ✓ | Rohs Exemption Information | Yes |

## Certifications & Standards

|                          |                                                                                                             |
|--------------------------|-------------------------------------------------------------------------------------------------------------|
| Reach Regulation         | <a href="#">REACH Declaration</a>                                                                           |
| Eu Rohs Directive        | Compliant<br><a href="#">EU RoHS Declaration</a>                                                            |
| China Rohs Regulation    | <a href="#">China RoHS declaration</a><br>Pro-active China RoHS declaration (out of China RoHS legal scope) |
| Environmental Disclosure | <a href="#">Product Environmental Profile</a>                                                               |
| Circularity Profile      | No need of specific recycling operations                                                                    |