


Product datasheet

Specifications



Analogue input cartridge. Modicon M241. packaging 2 analog inputs

TMC4PACK01

Price: 5,548.31 ZAR

Main

Range Of Product	Modicon M241
Product Or Component Type	Analogue input cartridge
Product Specific Application	Packaging
Product Compatibility	Modicon M241C
Analogue Input Number	2

Complementary

Analogue Input Type	current 4...20 mA current 0...20 mA voltage 0...10 V
Analogue Input Resolution	16 bits
LSB Value	1 mV voltage 0...10 V 2 µA current 0...20 mA 2 µA current 4...20 mA
Sampling Duration	10 ms
Absolute Accuracy Error	+/- 0.2 % of full scale at 25 °C
Temperature Drift	+/- 0.006 %FS/°C
Repeat Accuracy	+/- 0.2 %FS
Non-Linearity	+/- 0.05 %FS
Cross Talk	80 dB
Type Of Cable	Twisted shielded pairs cable
Electrical Connection	1 x 1.5 mm ² 1 spring terminal block with pitch 3.81 mm adjustment for inputs and supply
Maximum Cable Distance Between Devices	Twisted shielded pairs cable: <30 m for input
Insulation	Between input and internal logic at 500 V DC Non-insulated between inputs
Supply Voltage Limits	20.4...28.8 V
Local Signalling	1 LED (green) for PWR
Height	50 mm
Depth	21 mm
Width	34 mm
Net Weight	0.055 kg
Permissible Continuous Overload	40 mA, analogue input type: current 30 V, analogue input type: voltage

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

Input Impedance	<= 250 Ohm current >= 1 MOhm voltage
------------------------	---

Environment

Immunity To Microbreaks	10 ms
--------------------------------	-------

Packing Units

Unit Type Of Package 1	PCE
-------------------------------	-----

Number Of Units In Package 1	1
-------------------------------------	---

Package 1 Height	3.56 cm
-------------------------	---------

Package 1 Width	8.38 cm
------------------------	---------

Package 1 Length	11.18 cm
-------------------------	----------

Package 1 Weight	0.07 kg
-------------------------	---------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

Mercury Free

Rohs Exemption Information Yes

Pvc Free

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Pro-active compliance (Product out of EU RoHS legal scope)

China Rohs Regulation [China RoHS declaration](#)

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)