

# Product datasheet

Specifications



TeSys Vario enclosed. empty enclosure for V02-V2. red handle. IP65

VCFXGE4

**Price: 1,072.44 ZAR**

## Main

|                           |           |
|---------------------------|-----------|
| Range                     | TeSys     |
| Device Short Name         | VCFX      |
| Product Or Component Type | Enclosure |
| Product Compatibility     | V02...V2  |

## Complementary

|   |                                      |
|---|--------------------------------------|
| Handle Colour                               | Red                                  |
| Handle Front Plate Colour                   | Yellow                               |
| Rotary Handle Padlocking                    | With                                 |
| [the] Conventional Enclosed Thermal Current | 10 A<br>20 A<br>25 A<br>16 A<br>32 A |
| Environmental Characteristic                | Standard environment                 |
| Height                                      | 180 mm                               |
| Width                                       | 157 mm                               |
| Depth                                       | 152 mm                               |
| Net Weight                                  | 0.66 kg                              |

## Environment

|                         |      |
|-------------------------|------|
| Ip Degree Of Protection | IP65 |
|-------------------------|------|

## Packing Units

|                              |           |
|------------------------------|-----------|
| Unit Type Of Package 1       | PCE       |
| Number Of Units In Package 1 | 1         |
| Package 1 Height             | 16.500 cm |
| Package 1 Width              | 16.500 cm |
| Package 1 Length             | 20.500 cm |
| Package 1 Weight             | 678.000 g |
| Unit Type Of Package 2       | S04       |
| Number Of Units In Package 2 | 6         |
| Package 2 Height             | 30.000 cm |
| Package 2 Width              | 40.000 cm |

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

|                              |           |
|------------------------------|-----------|
| Package 2 Length             | 60.000 cm |
| Package 2 Weight             | 4.770 kg  |
| Unit Type Of Package 3       | P06       |
| Number Of Units In Package 3 | 24        |
| Package 3 Height             | 75.000 cm |
| Package 3 Width              | 60.000 cm |
| Package 3 Length             | 80.000 cm |
| Package 3 Weight             | 29.276 kg |

## Contractual warranty

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

## Well-being performance

Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information Yes

## Certifications & Standards

|                          |   |
|--------------------------|---|
| Reach Regulation         | <a href="#">REACH Declaration</a>   |
| Eu Rohs Directive        | Compliant with Exemptions   |
| China Rohs Regulation    | <a href="#">China RoHS declaration</a><br>Product out of China RoHS scope. Substance declaration for your information       |
| Environmental Disclosure | <a href="#">Product Environmental Profile</a>   |
| Weee                     | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |
| Circularity Profile      | No need of specific recycling operations  |