

Product datasheet

Specifications



Control station. metal. Emergency stop function. 1 mushroom head push button Ø 40. red. 1 NC + 1 NC. ATEX

XAWF178EX

Price: 11,614.08 ZAR

Main

Range Of Product	Harmony XAW
Product Or Component Type	Complete control station
Device Short Name	XAWF
Control Station Application	Emergency stop function
Material	Metal
Reset	Turn to release
Control Station Composition	1 mushroom head Ø 40 mm push-button, red, trigger action 1 NC + 1 NC

Complementary

Colour Of Base Of Enclosure	Black
Colour Of Cover	Black
Cable Entry	1 entry for ISO M20 cable gland
Width	80 mm
Depth	77 mm
Height	80 mm
Net Weight	0.830 kg
Marking	Ex tb IIIC T85°C Db IP65
Mechanical Durability	300000 cycles
Short-Circuit Protection	10 A cartridge fuse type gG
[Ie] Rated Operational Current	3 A at 240 V, AC-15, A600 6 A at 120 V, AC-15, A600 0.1 A at 600 V, DC-13, Q600 0.27 A at 250 V, DC-13, Q600 0.55 A at 125 V, DC-13, Q600 1.2 A at 600 V, AC-15, A600

Environment

Ambient Air Temperature For Operation	-20...60 °C
Overvoltage Category	I conforming to IEC 60536
Ip Degree Of Protection	IP65 conforming to IEC 60529

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

Standards	IEC 60079-0:2009 EN 60079-31:2009 IEC 60947-5-4 IEC 61000-6-2 IEC 60947-1 IEC 60947-5-1 IEC 60079-0:2007 IEC 60079-31:2008 IEC 60947-5-5 ISO 13850
Directives	94/9/EC - ATEX directive
Dust Zone	Zone 21 - 22
Product Certifications	INERIS 04ATEX0023X

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	9.000 cm
Package 1 Width	9.500 cm
Package 1 Length	23.000 cm
Package 1 Weight	885.000 g
Unit Type Of Package 2	P12
Number Of Units In Package 2	32
Package 2 Height	45.000 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	46.720 kg

Sustainability


Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.


Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Well-being performance

 Mercury Free

 Rohs Exemption Information [Yes](#)

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Pro-active compliance (Product out of EU RoHS legal scope)

China Rohs Regulation [China RoHS declaration](#)
