

Product datasheet

Specifications



Harmony XVB. Fixing base for modular tower lights. plastic. Ø70. 380mm black aluminium support tube + black fixing plate

XVBZ03

Price: 1,691.57 ZAR

Main

Range Of Product	Harmony XVB
Accessory / Separate Part Designation	Fixing base
Product Or Component Type	Fixing base
Accessory / Separate Part Categor	Mounting and fixing accessories
Accessory / Separate Part Destination	Beacons and indicator banks Ø 70 mm

Complementary

Accessory / Separate Part Type	Fixing base
Product Compatibility	XVBC. XVBL.
Kit Composition	Ø 25 mm aluminium support tube Black plastic fixing plate
Height Under Base Unit	380 mm
Colour	Black aluminium
Net Weight	0.2 kg

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	7.3 cm
Package 1 Width	11.6 cm
Package 1 Length	47.5 cm
Package 1 Weight	185 g
Unit Type Of Package 2	S04
Number Of Units In Package 2	50
Package 2 Height	30 cm
Package 2 Width	40 cm
Package 2 Length	60 cm
Package 2 Weight	9.96 kg
Unit Type Of Package 3	P06
Number Of Units In Package 3	200

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 3 Height	77 cm
Package 3 Width	80 cm
Package 3 Length	60 cm
Package 3 Weight	48.34 kg

Contractual warranty

Warranty	18 months
----------	-----------

Sustainability

Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency RoHS/REACH

Well-being performance


✓	Reach Free Of Svhc	
✓	Toxic Heavy Metal Free	
✓	Mercury Free	
✓	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations

Dimensions Drawings

Dimensions and Mounting



Height under base unit	
b in mm	b in in.
380	14.96

Mounting and Clearance

Panel Cut-Out

