

# Product datasheet

Specifications



Harmony XVU. Body extender for modular tower lights. black. Ø60

XVUC020

Price: 677.54 ZAR

## Main

|                                   |                               |
|-----------------------------------|-------------------------------|
| Range Of Product                  | Harmony XVU                   |
| Product Or Component Type         | Modular tower light           |
| Mounting Diamete                  | 60 mm                         |
| Accessory / Separate Part Type    | Long body tube                |
| Accessory / Separate Part Categor | Mounting and fixing accessory |

## Complementary

|                           |                                      |
|---------------------------|--------------------------------------|
| Material                  | PBT + ABS (UL94-V0)<br>PC (UL94 V-0) |
| Product Compatibility     | XVU                                  |
| [Us] Rated Supply Voltage | 110...240 V AC<br>24 V AC/DC         |
| Length                    | 100 mm                               |
| Net Weight                | 0.093 kg                             |

## Environment

|                                       |                 |
|---------------------------------------|-----------------|
| Product Certifications                | CE<br>UL<br>CSA |
| Ambient Air Temperature For Storage   | -40...70 °C     |
| Ambient Air Temperature For Operation | -25...50 °C     |
| Ip Degree Of Protection               | IP65            |

## Packing Units

|                              |         |
|------------------------------|---------|
| Unit Type Of Package 1       | PCE     |
| Number Of Units In Package 1 | 1       |
| Package 1 Height             | 9.0 cm  |
| Package 1 Width              | 9.1 cm  |
| Package 1 Length             | 26.8 cm |
| Package 1 Weight             | 266.0 g |
| Unit Type Of Package 2       | S04     |
| Number Of Units In Package 2 | 24      |
| Package 2 Height             | 30 cm   |

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                              |           |
|------------------------------|-----------|
| Package 2 Width              | 40 cm     |
| Package 2 Length             | 60 cm     |
| Package 2 Weight             | 7.0 kg    |
| Unit Type Of Package 3       | P06       |
| Number Of Units In Package 3 | 96        |
| Package 3 Height             | 75 cm     |
| Package 3 Width              | 40 cm     |
| Package 3 Length             | 80 cm     |
| Package 3 Weight             | 25.014 kg |

Sustainability



**Green Premium™ label** is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency   RoHS/REACH

## Well-being performance

✓

Mercury Free

✓

Rohs Exemption Information

Yes

## Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

China Rohs Regulation

[China RoHS declaration](#)

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile


[End of Life Information](#)

Dimensions Drawings

Extender Unit


---

Dimensions



Mounting and Clearance

Modular Tower Lights Mounting



| Drawing | Part number | Part name            |
|---------|-------------|----------------------|
| A1      | -           | Top cover            |
|         | -           | Top cover (Silver)   |
| A2      | XVUC9S      | Buzzer unit          |
|         | XVUC9SQ     | Buzzer unit (Silver) |
| A3      | XVUC23      | Green LED unit       |
|         | XVUC24      | Red LED unit         |
|         | XVUC25      | Orange LED unit      |
|         | XVUC26      | Blue LED unit        |

| Drawing | Part number | Part name                                             |
|---------|-------------|-------------------------------------------------------|
|         | XVUC27      | White LED unit                                        |
|         | XVUC28      | Yellow LED unit                                       |
| A4      | XVUC29      | Multi-LED unit                                        |
| A5      | XVUC29P     | Multi-LED unit, Pulse signal                          |
| A6      | XVUC9V      | Sound unit                                            |
| A7      | XVUC9VP     | Sound unit, Pulse signal                              |
| A8      | XVUC020     | Extender                                              |
|         | XVUC020Q    | Extender (Silver)                                     |
| A9      | XVUC21B     | DC body                                               |
|         | XVUC21BQ    | DC body (Silver)                                      |
| A10     | XVUC21M     | AC body NPN                                           |
|         | XVUC21MP    | AC body PNP                                           |
|         | XVUC21MQP   | AC body PNP (Silver)                                  |
| A11     | XVUZ06      | Flexible option                                       |
| A12     | XVUZ01      | Fixing Unit - Direct mounting (3 pins)                |
|         | XVUZ01Q     | Fixing Unit - Direct mounting (Silver,3 pins)         |
|         | XVUZ03      | Fixing Unit - Direct mounting (2 pins)                |
|         | XVUZ04      | Fixing Unit - Direct mounting (4 pins)                |
| A13     | XVUZ02      | Fixing Unit - Plate with Pole (100 mm)                |
|         | XVUZ02Q     | Fixing Unit - Plate with Pole (100 mm, Silver)        |
|         | XVUZ400     | Fixing Unit - Plate with Pole (400 mm)                |
|         | XVUZ800     | Fixing Unit - Plate with Pole (800 mm)                |
| A14     | XVUZ05      | Fixing Unit - Plate with adjustment pole (100-385 mm) |
| A15     | XVUC43      | Green LED unit, Flash                                 |
|         | XVUC44      | Red LED unit, Flash                                   |
|         | XVUC45      | Orange LED unit, Flash                                |
|         | XVUC46      | Blue LED unit, Flash                                  |

| Drawing | Part number | Part name                                        |
|---------|-------------|--------------------------------------------------|
|         | XVUC47      | White LED unit, Flash                            |
|         | XVUC48      | Yellow LED unit, Flash                           |
| A16     | XVUZ100T    | Fixing Unit - Metal bracket with pole (100 mm)   |
|         | XVUZ250T    | Fixing Unit - Metal bracket with pole(250 mm)    |
|         | XVUZ400T    | Fixing Unit - Metal bracket with pole (400 mm)   |
| A17     | XVUZ12      | Fixing plate for use on vertical support - black |