

Product datasheet

Specifications



APC Smart-UPS SRT 72V 2.2kVA Battery Pack

SRT72BP

Overview

Lead time Usually in Stock

Main

product or component type	Battery
Battery type	Lead-acid battery
Provided equipment	Documentation CD Installation guide
range of product	Smart-UPS Battery Systems

Batteries & Runtime

Number of battery free slots	0
Number of battery filled slots	0
Battery voltage	72 V
Number of battery replacement quantity	2
Replacement battery	APCRBC141

Physical

Colour	Black
Height	43.2 cm
Width	8.5 cm
Depth	59.4 cm
net weight	33.9 kg
mounting mode	Rack-mounted with kit

Environmental

ambient air temperature for operation	0...40 °C
Operating altitude	0...10000 ft
Relative humidity	0...95 % non-condensing
ambient air temperature for storage	-15...45 °C
Storage altitude	0.0000000000...15240.0000000000 m
Storage Relative Humidity	0...95 % non-condensing

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	24.500 cm
Package 1 Width	61.500 cm
Package 1 Length	84.000 cm
Package 1 Weight	39.000 kg

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

[Learn more about Green Premium >](#)



Take-back Transparency RoHS/REACH

Resource performance

 Take-Back Program Available

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

[EU RoHS Declaration](#)

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

[End of Life Information](#)

Image of product / Alternate images

Alternative

