

# Product datasheet

Specifications



## APC Smart-UPS RT Battery Pack 192V, rackmount, 3U, wo rail kit

SRTG192XLBP4

### Overview

Lead time Usually in Stock

### Main

product or component type	Battery
Number of rack unit	3U
Battery type	Lead-acid battery
Provided equipment	Installation guide Warranty card
range of product	Smart-UPS Battery Systems

### Batteries & Runtime

Device mounting	Stand alone battery stack Rack mount
Number of battery filled slots	4
Number of battery free slots	0
Number of battery replacement quantity	2
Battery voltage	192 V
Replacement battery	<a href="#">APCRBC174</a>

### Physical

Colour	Black
Height	13 cm
Width	44 cm
Depth	68.3 cm
net weight	91 kg
mounting mode	Rack-mounted
USB compatible	No

### Environmental

ambient air temperature for operation	0...40 °C
Relative humidity	0...95 % non-condensing
Operating altitude	0...6600 ft
Storage Relative Humidity	0...95 % non-condensing

---

Storage altitude 0.0000000000...15240.0000000000 m

## Packing Units

---

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	33.5 cm
Package 1 Width	78 cm
Package 1 Length	58 cm
Package 1 Weight	101.5 kg

---

## Contractual warranty

---

Warranty 2 years

## Sustainability

**Green Premium™** label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

[Learn more about Green Premium >](#)



Transparency RoHS/REACH

## Well-being performance

Mercury Free

Rohs Exemption Information [Yes](#)

## Certifications & Standards

**Reach Regulation** [REACH Declaration](#)

**Eu Rohs Directive** Compliant with Exemptions

**China Rohs Regulation** [China RoHS declaration](#)

**Environmental Disclosure** [Product Environmental Profile](#)

**Circularity Profile** [End of Life Information](#)

Image of product / Alternate images

Alternative

---





