


compartment section, for 3-pole systems (01554)



Description

Part No.: 01554
compartment section, for 3-pole systems
front mounted, 1.10 m long, for holder 01136
3 x 190 x 1100

System

60Classic

Product group 07

Subgroup 36

pack size 1

EAN 4021267015541

Katalogseite US US 2019 : 3.4

eCl@ss 6.1 27370390
eCl@ss 7.1 27370390
ETIM 4.0 EC002498
ETIM 5.0 EC002848

Approvals

Standards

IEC 61439-1:2011
IEC 60999-1:1999
IEC 60999-2:2003
GB/T 7251.1

Approvals

CSA, UL, DNV GL



for UL feeder circuits >250V

type number: C60.1-L

UL file: E123577, UL category (for USA): NMTR <http://www.ul.com>

UL file: E123577, UL category (for Canada): NMTR7 <http://www.ul.com>

CSA file: 110285, CSA class: 3211-37 <http://directories.csa-international.org>

CCC approval: no certification required

Product data

Details IEC

Standards

IEC 61439-1:2011
IEC 60999-1:1999
IEC 60999-2:2003
GB/T 7251.1

Electrical data

short-circuit withstandability: not applicable, since the product does not contain or carry any live parts or is not stressed in the case of a short-circuit

Details UL

Standards

UL 508

for UL feeder circuits >250V

Mechanical data

W x H x D: 1100 x 190 x 3

weight: 45.1 kg/100

Material properties

Main body: temperature stability 70°C,
self-extinguishing in acc. to UL 94

Cover: temperature-resistant up to 75°C, self-releasing to UL 94, creepage current strength CTI 200,
halogen-free