



MYeBOX-PSN480

MYeBOX-PSN480, MYeBOX power supply (480 V),

Code: M8441A.

Specifications

AC power supply

Consumption	8 ... 47 VA
Frequency	47 ... 63 Hz
Nominal voltage	230 ... 480 V~

Mechanical characteristics

Size (mm) width x height x depth	78.8 x 78.8 x 53.1 (mm)
Envelope	ABS (UL 94 - V0)
Weight (kg)	0,168

Environmental characteristics

Protection class	IP 30
Relative humidity (without condensation)	5 ... 95 %
Storage temperature	-20 ... + 70 °C
Working temperature	0 ... + 40 °C

Standards

Certifications	CE
Electrical safety, Maximum height (m)	2000
Electrical safety, Installation category	CAT IV 300 V
Standards	IEC 61010-1, IEC 61000-6-2, IEC 61000-6-4

Power supply

Maximum output voltage / current	370 V peak / 1,5 A peak
----------------------------------	-------------------------

Accesor-MYeBOX

CODE	TYPE	Description
M8401B.	V-Wire x3	set of 3 600 V CAT III cables
M8401C.	V-Wire x4	set of 4 600 V CAT III cables
M8401D.	V-Wire x5	set of 5 600 V CAT III cables
M84011.	MYeBOX-BAT	MyEBOX battery
M8441F.	MYeBOX-PSN	MYeBOX power cable
M8441A.	MYeBOX-PSN480	MYeBOX power supply (480 V)
M84014.	MYeBOX-MARKER	Markers
M84015.	MYeBOX-CARRYING BAG	Carrying bag
M84016.	MYeBOX-BELT	MyEBOX strap



MYeBOX-PSN480

Code: M8441A.

CODE	TYPE	Description
M84017.	MYeBOX-MAG SUPPORT	MyEBOX magnetic base



MYeBOX-PSN480

Code: M8441A.

Dimensions



Connections

